In the Claims

The status of claims in the case is as follows:

1.   [~~Original~~ Currently amended]   A method for scheduling a plurality of <u>individual</u> meetings with a plurality of invitee users on a calendar of a primary user, comprising the steps of:

said primary user creating a primary appointment template identifying available meeting times;

sending <u>a meeting request to said plurality of invitee</u> <u>users instructing each said invitee user to access</u> said primary appointment template <u>to schedule an individual</u> <u>appointment with said primary user</u> ~~to said plurality of~~ ~~invitee users~~; [[and]]

each said invitee user <u>sequentially accessing</u> ~~selecting~~ ~~an available time from~~ said primary appointment template to schedule ~~a meeting~~ <u>an individual</u> <u>appointment</u> with said primary user <u>at a time indicated</u> <u>as available on said primary appointment template;</u>

17   upon each said invitee user selecting an available time

18   from said primary appointment template for an

19   individual appointment, updating said primary

20   appointment template to remove said individual

21   appointment from said available time for invitee users

22   subsequently accessing said primary appointment

23   template.

1 2. [Original] The method of claim 1, further comprising

2 the steps of identifying available meeting times on said

3 primary appointment template by specifying days worked,

4 workday start and ending times, and by blocking out

5 previously scheduled appointments and break times on said

6 calendar of said primary user.

1 3. [Original] The method of claim 2, further comprising

2 the step of creating said primary appointment template by

3 merging a default template and said calendar with primary

4 user selected meeting length, time frame and time

5 restriction objects, said default template defining said

6 days worked, said workday start and ending times, and said

7 break times, and said calendar defining said previously

8 scheduled appointments.

1   4.   [Original]   The method of claim 2, further comprising

2   the steps responsive to a first invitee user selecting a

3   first available time of dynamically scheduling a first

4   meeting at said first available time, entering said first

5   meeting into said primary appointment template, notifying

6   said primary user and said first invitee user of said first

7   meeting, and blocking further invitee users from scheduling

8   a second meeting conflicting with said first available time.

1   5.   [Original]   The method of claim 2, further comprising

2   the steps of said plurality of invitee users iteratively

3   selecting multiple meeting times from said primary

4   appointment template until there is one time selected by

5   each said invitee user, and notifying said primary user and

6   said plurality of invitee users of said one time.

1   6.   [Original]   The method of claim 4, further comprising

2   the steps of creating said primary appointment template as a

3   two dimensional array of objects, each said object

4   representing a block of time and an attribute.

1   7.   [Original]   The method of claim 6, said attribute being

2   selected from the group of attributes including current

3   scheduled meeting, free time, start time, end time, and

4   break time.

1   8.   [Original]   The method of claim 7, further comprising

2   the step of presenting to said primary user a menu entry and

3   associated pop-up windows for creating said primary

4   appointment template.

1   9.   [Original]   The method of claim 8, further comprising

2   the step of distributing said primary appointment template

3   as a graphic object including time slots available for

4   selection by prospective meeting attendees.

1   10.   [Original]   The method of claim 2, further comprising

2   the step of:

3   responsive to said first invitee user receiving a note

4   with a meeting request from said primary user, said

5   first invitee user opening said note and displaying

6   said primary appointment template in graphical format,

7   said primary appointment template being retrieved from

8   a primary server upon said note being opened.

1   11.   [Original]   The method of claim 10, further comprising

2   the step of:

3 upon said first invitee user selecting an available

4 meeting time, updating said primary appointment

5 template to block further invitee users from selecting

6 said meeting time selected by said first invitee user.

1 12. [Currently amended] The method of claim 11, further

2 comprising the step of:

3 responsive to said first invitee user opening said note

4 containing said primary appointment template, creating

5 from said primary appointment template and a calendar

6 object for said first invitee user a first merged

7 appointment template object from which said first

8 invitee user ~~may select~~ <u>selects</u> said available meeting

9 time.

1 13. [Original] The method of claim 12, further comprising

2 the step of configuring time blocks of available meeting

3 times in said first merged appointment template object as

4 buttons, selection of a button resulting in the step of

5 sending an accept meeting request message to said primary

6 server.

1 14. [Original] The method of claim 13, each said time

2   block being a hyperlink linking said first invitee user to a

3   web page on said primary server for disabling said time

4   block from further selection in said primary appointment

5   template and updating a calendar object for said primary

6   user at said primary server.

1   15. [Original] The method of claim 4, further comprising

2   the step of distributing an updated primary appointment

3   template to said further invitee users responsive to said

4   first invitee user selecting said first available time.

1   16. [Original] The method of claim 4, further comprising

2   the step of distributing an updated primary appointment

3   template to a second invitee user responsive to said second

4   invitee user opening a copy of said note containing said

5   primary meeting template.

1   17. [Currently amended] System for scheduling a plurality

2   of meetings with a plurality of individuals on a calendar of

3   a primary user, comprising:

4   a primary appointment template object for storing a

5   plurality of available time slots in said calendar of

6   said primary user;

7   a primary server for storing said first appointment

8   template object;

9   a plurality of calendar template objects, a said

10   calendar template object for each of a plurality of

11   invitee users;

12   a calendar tool for distributing a meeting request from

13   said primary user to said plurality of invitee users

14   instructing each said invitee user to access said first

15   appointment template object to a plurality of said

16   invitee users to schedule an individual appointment

17   with said primary user;

18   said calendar tool further for updating said primary

19   appointment template object to remove from said

20   available time slots times selected for each said

21   individual appointment;

22   each said plurality of said invitee users having user

23   having a selector for selecting an available time slot

24   from said first appointment template object at said

25   primary server.

26   18.   [Original]   The system of claim 17, said primary

27   appointment template object comprising a default template

28   and appointment calendar merged with primary user selected

29   meeting length, time frame and time restrictions objects.

1   19.   [Original]   The system of claim 18, said default

2   template specifying work days, start, end and break times

3   and said appointment calendar specifying periodic and other

4   appointments on the appointment calendar of said primary

5   user.

1   20.   [Currently amended]   A program storage device readable

2   by a machine, tangibly embodying a program of instructions

3   executable by a machine to perform method steps for

4   scheduling a plurality of meetings with a plurality of

5   invitee users on a calendar of a primary user, said method

6   steps comprising:

7   said primary user creating a primary appointment

8   template identifying available meeting times;

9   sending a meeting request to said plurality of invitee

10   users instructing each said invitee user to access said

11   primary appointment template to schedule an individual

12   appointment with said primary user ~~to said plurality of~~

13   ~~invitee users~~; [[and]]

14   each said invitee user <u>sequentially accessing</u> ~~selecting~~

15   ~~an available time from~~ said primary appointment

16   template to schedule ~~a meeting~~ <u>an individual</u>

17   <u>appointment</u> with said primary user <u>at a time indicated</u>

18   <u>as available on said primary appointment template;</u>

19   <u>upon each said invitee user selecting an available time</u>

20   <u>from said primary appointment template for an</u>

21   <u>individual appointment, updating said primary</u>

22   <u>appointment template to remove said individual</u>

23   <u>appointment from said available time for invitee users</u>

24   <u>subsequently accessing said primary appointment</u>

25   <u>template</u>.

1   21.   [Original]   The program storage device of claim 20,

2   said method steps further comprising the steps of

3   identifying available meeting times on said primary

4   appointment template by specifying days worked, workday

5   start and ending times, and by blocking out previously

6   scheduled appointments and break times on said calendar of

7   said primary user.

1   22. [Original] The program storage device of claim 21,

2   said method steps further comprising the step of creating

3   said primary appointment template by merging a default

4   template and said calendar with primary user selected

5   meeting length, time frame and time restriction objects,

6   said default template defining said days worked, said

7   workday start and ending times, and said break times, and

8   said calendar defining said previously scheduled

9   appointments.

1   23. [Original] The program storage device of claim 21,

2   said method steps further comprising the steps responsive to

3   a first invitee user selecting a first available time of

4   dynamically scheduling a first meeting at said first

5   available time, entering said first meeting into said

6   primary appointment template, notifying said primary user

7   and said first invitee user of said first meeting, and

8   blocking further invitee users from scheduling a second

9   meeting conflicting with said first available time.

1   24. [Original] The program storage device of claim 21,

2   said method steps further comprising the steps of said

3   plurality of invitee users iteratively selecting multiple

4   meeting times from said primary appointment template until

5   there is one time selected by each said invitee user, and

6   notifying said primary user and said plurality of invitee

7   users of said one time.

1   25. [Original] The program storage device of claim 23,

2   said method steps further comprising the steps of creating

3   said primary appointment template as a two dimensional array

4   of objects, each said object representing a block of time

5   and an attribute.

1   26. [Original] The program storage device of claim 25,

2   said method steps said attribute being selected from the

3   group of attributes including current scheduled meeting,

4   free time, start time, end time, and break time.

1   27. [Original] The program storage device of claim 26,

2   said method steps further comprising the step of presenting

3   to said primary user a menu entry and associated pop-up

4   windows for creating said primary appointment template.

1   28. [Original] The program storage device of claim 27,

2   said method steps further comprising the step of

3   distributing said primary appointment template as a graphic

4   object including time slots available for selection by

5   prospective meeting attendees.

1   29.   [Original]   The program storage device of claim 21,

2   said method steps further comprising the step of:

3   responsive to said first invitee user receiving a note

4   with a meeting request from said primary user, said

5   first invitee user opening said note and displaying

6   said primary appointment template in graphical format,

7   said primary appointment template being retrieved from

8   a primary server upon said note being opened.

1   30.   [Original]   The program storage device of claim 29,

2   said method steps further comprising the step of:

3   upon said first invitee user selecting an available

4   meeting time, updating said primary appointment

5   template to block further invitee users from selecting

6   said meeting time selected by said first invitee user.

1   31.   [Original]   The program storage device of claim 30,

2   said method steps further comprising the step of:

3   responsive to said first invitee user opening said note

4   containing said primary appointment template, creating

5   from said primary appointment template and a calendar

6   object for said first invitee user a first merged

7   appointment template object from which said first

8   invitee user ~~may select~~ <u>selects</u> said available meeting

9   time.

1   32.   [Original]   The program storage device of claim 31,

2   said method steps further comprising the step of configuring

3   time blocks of available meeting times in said first merged

4   appointment template object as buttons, selection of a

5   button resulting in the step of sending an accept meeting

6   request message to said primary server.

1   33.   [Original]   The program storage device of claim 32,

2   each said time block being a hyperlink linking said first

3   invitee user to a web page on said primary server for

4   disabling said time block from further selection in said

5   primary appointment template and updating a calendar object

6   for said primary user at said primary server.

1   34.   [Original]   The program storage device of claim 23,

2   said method steps further comprising the step of

3   distributing an updated primary appointment template to

4   said further invitee users responsive to said first invitee

5   user selecting said first available time.

1   35. [Original] The program storage device of claim 23,

2   said method steps further comprising the step of

3   distributing an updated primary appointment template to a

4   second invitee user responsive to said second invitee user

5   opening a copy of said note containing said primary meeting

6   template.

1   36. [Original] A computer program product ~~or computer~~

2   ~~program element~~ for scheduling a plurality of meetings with

3   a plurality of invitee users on a calendar of a primary

4   user, <u>said computer program product</u> ~~according to method~~

5   ~~steps~~ comprising:

6   <u>a computer readable medium;</u>

7   <u>first program instructions for</u> creating a primary

8   appointment template identifying available meeting

9   times on the calendar of said primary user;

10   <u>second program instructions for</u> sending <u>a meeting</u>

11   request to said plurality of invitee users instructing

12   each said invitee user to access said primary

13   appointment template to schedule an individual

14   appointment with said primary user ~~to said plurality of~~

15   ~~invitee users~~; [[and]]

16   third program instructions executed by each said

17   invitee user ~~selecting~~ to sequentially access ~~an~~

18   ~~available time from~~ said primary appointment template

19   to schedule ~~a meeting~~ an individual appointment with

20   said primary user at a time indicated as available on

21   said primary appointment template;

22   fourth program instructions executed, as each said

23   invitee user selects an available time from said

24   primary appointment template for an individual

25   appointment, to update said primary appointment

26   template to remove said individual appointment from

27   said available time for invitee users subsequently

28   accessing said primary appointment template; and

29   wherein

30   said first, second, third, and fourth program

31   instructions are recorded on said computer readable

32   <u>medium</u>.